




MOBİLYA-PROFİL ve
AKSESUAR
KATALOĞU

2020


www.fsmaluminyum.com


YUVARLAK BORULAR
ROUND TUBES / RUNDROHRE

Profil No.	d/mm	s/mm	kg/m
3493	8	2	0,102
1482	10	1,6	0,113
3860	10	2	0,136
11664	10	3	0,178
17794	11	2,75	0,192
1568	12	1,5	0,133
1586	12	2	0,170
7693	12	3,25	0,242
729	12,7	2,35	0,207
1228	13	1	0,103
668	13	2	0,186
579	14	1	0,110
876	14	2	0,203
2732	15	1	0,119
1130	15	1,5	0,172
2733	15	2	0,222
9757	15,72	1,36	0,168
1078	16	1	0,127
7854	16	1,2	0,151
4983	16	1,5	0,185
4234	16	2	0,238
510	16	2,5	0,286
3767	16	3	0,331
5061	16	4	0,408
2209	16	5	0,467
11397	17	3,45	0,397
2734	18	1	0,145
4791	18	1,5	0,210
2120	18	2,7	0,351
14272	18	4	0,475
586	19	1	0,153
8886	19	1,2	0,181
10689	19	1,5	0,224
2638	19	2,5	0,350
792	20	1	0,162
12208	20	1,5	0,235
1246	20	2	0,305
4333	20	2,5	0,371
16419	20	3	0,432
563	22	1	0,178
2027	22	1,5	0,262
2028	22	2	0,340
12203	22	2,5	0,413
13039	22	4	0,610
1500	22	5	0,721
17659	22	8,5	0,975
9959	22,72	6,56	1,005
11795	23	4	0,645
2103	23,8	4,9	0,786
14553	24	3	0,535
2061	24	5	0,806
2784	24,8	1,75	0,343
1299	24,9	8,9	1,207
562	25	1	0,203
558	25	1,5	0,300
2009	25	2	0,390
1322	25	2,5	0,478
908	25	3	0,559
12132	25	4	0,713
7494	25	4,25	0,748
4880	25	5	0,849

Profil No.	d/mm	s/mm	kg/m
695	25,4	2,7	0,520
17796	25,5	4,3	0,772
1454	25,7	1,2	0,248
12756	27	9	1,374
561	28	1	0,229
11789	28	1,5	0,338
4057	28	2	0,441
1585	28	3	0,637
6948	28	5,8	1,094
13833	28	7	1,248
587	29,5	2,25	0,520
1096	30	1	0,246
16235	30	1,5	0,362
1095	30	2	0,475
1089	30	2,4	0,562
624	30	2,5	0,583
517	30	3	0,686
1913	30	3,5	0,786
2576	30	3,95	0,872
2575	30	4	0,883
639	30	5	1,061
3082	30	10	1,696
3083	30	12,5	1,855
8068	30,5	3,25	0,752
1300	31,8	11,6	1,987
1581	32	1	0,262
1179	32	1,5	0,389
4923	32	2	0,511
17195	32	2	0,511
1459	32	2,5	0,626
11714	32	3	0,738
10895	32	3,5	0,846
11223	32,5	8,25	1,698
9647	33,7	2	0,539
16840	34	1,5	0,413
2191	35	1	0,289
4021	35	1,2	0,344
15864	35	1,3	0,373
10688	35	1,5	0,427
17108	35	1,9	0,535
4157	35	2	0,560
1233	35	2,5	0,689
3857	35	3	0,814
12650	35	5	1,272
809	35	7,5	1,750
15017	35	10	2,120
4350	35	14,4	2,516
5244	35,5	14,5	2,584
1861	36	1	0,297
1156	36	1,5	0,439
1770	36	6	1,527
17344	38	3	0,891
6023	38	4	1,154
14146	38	8	2,036
750	40	1,25	0,410
11055	40	1,5	0,492
3694	40	2	0,644
8403	40	2,5	0,797
3862	40	3	0,942
16293	40	4	1,221
6024	40	5	1,485


Profil No.	d/mm	s/mm	kg/m
4338	40	10	2,545
3081	40	15	3,181
5246	40,5	16,1	3,343
8643	42	1,35	0,466
17166	42	2	0,681
3978	42	3	0,992
3368	44,5	12,25	3,351
5666	45	2	0,730
10695	45	2,5	0,902
17345	45	2,8	1,002
5293	45	3	1,069
6979	45	5	1,697
5710	46	1,5	0,567
5700	46	5	1,739
1783	46	9	2,824
2366	48	2	0,780
4067	48	3	1,145
17103	48	4	1,493
12135	48	5	1,825
8587	48	6	2,139
16540	48,3	2,5	0,972
16902	48,3	3	1,153
2221	50	1,2	0,497
2395	50	1,5	0,617
7852	50	1,7	0,697
4982	50	1,8	0,737
1129	50	2	0,814
5083	50	2,3	0,932
2517	50	2,5	1,007
2574	50	3	1,196
588	50	4	1,560
715	50	5	1,909
1784	50	9	3,129
3849	50	10	3,393
14182	50	15	4,455
16901	51	2	0,832
7028	53	6,25	2,479
15199	54	2	0,883
6947	54	16,75	5,292
17032	55	2	0,900
17091	55	2,5	1,113
6883	55	10,5	3,964
15690	55	12	4,377
17328	55	12,5	4,506
17198	55,5	4	1,747
7772	58	2	0,951
11559	60	1,5	0,745
751	60	2	0,983
2758	60	2,5	1,219
3851	60	3	1,450
12103	60	4	1,901
12112	60	5	2,333
18605	60	5	2,333
8644	60	6	2,749
14006	60	8	3,529
4250	60	10	4,242
3828	60	15	5,725
5040	60	20	6,786
15600	62	2,5	1,261
4711	63	8	3,733
14341	63,5	2	1,045


YUVARLAK BORULAR
ROUND TUBES / RUNDROHRE

Profil No.	d/mm	s/mm	kg/m
3493	8	2	0,102
1482	10	1,6	0,113
3860	10	2	0,136
11664	10	3	0,178
17794	11	2,75	0,192
1568	12	1,5	0,133
1586	12	2	0,170
7693	12	3,25	0,242
729	12,7	2,35	0,207
1228	13	1	0,103
668	13	2	0,186
579	14	1	0,110
876	14	2	0,203
2732	15	1	0,119
1130	15	1,5	0,172
2733	15	2	0,222
9757	15,72	1,36	0,168
1078	16	1	0,127
7854	16	1,2	0,151
4983	16	1,5	0,185
4234	16	2	0,238
510	16	2,5	0,286
3767	16	3	0,331
5061	16	4	0,408
2209	16	5	0,467
11397	17	3,45	0,397
2734	18	1	0,145
4791	18	1,5	0,210
2120	18	2,7	0,351
14272	18	4	0,475
586	19	1	0,153
8886	19	1,2	0,181
10689	19	1,5	0,224
2638	19	2,5	0,350
792	20	1	0,162
12208	20	1,5	0,235
1246	20	2	0,305
4333	20	2,5	0,371
16419	20	3	0,432
563	22	1	0,178
2027	22	1,5	0,262
2028	22	2	0,340
12203	22	2,5	0,413
13039	22	4	0,610
1500	22	5	0,721
17659	22	8,5	0,975
9959	22,72	6,56	1,005
11795	23	4	0,645
2103	23,8	4,9	0,786
14553	24	3	0,535
2061	24	5	0,806
2784	24,8	1,75	0,343
1299	24,9	8,9	1,207
562	25	1	0,203
558	25	1,5	0,300
2009	25	2	0,390
1322	25	2,5	0,478
908	25	3	0,559
12132	25	4	0,713
7494	25	4,25	0,748
4880	25	5	0,849


Profil No.	d/mm	s/mm	kg/m
695	25,4	2,7	0,520
17796	25,5	4,3	0,772
1454	25,7	1,2	0,248
12756	27	9	1,374
561	28	1	0,229
11789	28	1,5	0,338
4057	28	2	0,441
1585	28	3	0,637
6948	28	5,8	1,094
13833	28	7	1,248
587	29,5	2,25	0,520
1096	30	1	0,246
16235	30	1,5	0,362
1095	30	2	0,475
1089	30	2,4	0,562
624	30	2,5	0,583
517	30	3	0,686
1913	30	3,5	0,786
2576	30	3,95	0,872
2575	30	4	0,883
639	30	5	1,061
3082	30	10	1,696
3083	30	12,5	1,855
8068	30,5	3,25	0,752
1300	31,8	11,6	1,987
1581	32	1	0,262
1179	32	1,5	0,389
4923	32	2	0,511
17195	32	2	0,511
1459	32	2,5	0,626
11714	32	3	0,738
10895	32	3,5	0,846
11223	32,5	8,25	1,698
9647	33,7	2	0,539
16840	34	1,5	0,413
2191	35	1	0,289
4021	35	1,2	0,344
15864	35	1,3	0,373
10688	35	1,5	0,427
17108	35	1,9	0,535
4157	35	2	0,560
1233	35	2,5	0,689
3857	35	3	0,814
12650	35	5	1,272
809	35	7,5	1,750
15017	35	10	2,120
4350	35	14,4	2,516
5244	35,5	14,5	2,584
1861	36	1	0,297
1156	36	1,5	0,439
1770	36	6	1,527
17344	38	3	0,891
6023	38	4	1,154
14146	38	8	2,036
750	40	1,25	0,410
11055	40	1,5	0,492
3694	40	2	0,644
8403	40	2,5	0,797
3862	40	3	0,942
16293	40	4	1,221
6024	40	5	1,485

Profil No.	d/mm	s/mm	kg/m
4338	40	10	2,545
3081	40	15	3,181
5246	40,5	16,1	3,343
8643	42	1,35	0,466
17166	42	2	0,681
3978	42	3	0,992
3368	44,5	12,25	3,351
5666	45	2	0,730
10695	45	2,5	0,902
17345	45	2,8	1,002
5293	45	3	1,069
6979	45	5	1,697
5710	46	1,5	0,567
5700	46	5	1,739
1783	46	9	2,824
2366	48	2	0,780
4067	48	3	1,145
17103	48	4	1,493
12135	48	5	1,825
8587	48	6	2,139
16540	48,3	2,5	0,972
16902	48,3	3	1,153
2221	50	1,2	0,497
2395	50	1,5	0,617
7852	50	1,7	0,697
4982	50	1,8	0,737
1129	50	2	0,814
5083	50	2,3	0,932
2517	50	2,5	1,007
2574	50	3	1,196
588	50	4	1,560
715	50	5	1,909
1784	50	9	3,129
3849	50	10	3,393
14182	50	15	4,455
16901	51	2	0,832
7028	53	6,25	2,479
15199	54	2	0,883
6947	54	16,75	5,292
17032	55	2	0,900
17091	55	2,5	1,113
6883	55	10,5	3,964
15690	55	12	4,377
17328	55	12,5	4,506
17198	55,5	4	1,747
7772	58	2	0,951
11559	60	1,5	0,745
751	60	2	0,983
2758	60	2,5	1,219
3851	60	3	1,450
12103	60	4	1,901
12112	60	5	2,333
18605	60	5	2,333
8644	60	6	2,749
14006	60	8	3,529
4250	60	10	4,242
3828	60	15	5,725
5040	60	20	6,786
15600	62	2,5	1,261
4711	63	8	3,733
14341	63,5	2	1,045


DİKDÖRTGEN KUTULAR
RECTANGULAR TUBES / RECHTECKROHRE


Profil No.	a/mm	b/mm	c/mm	d/mm	kg/m
1114	16	12	1	1	0,140
955	18	12	1	1	0,151
741	18	12	1,5	1,5	0,219
1037	18	14	1	1	0,162
5993	20	8	1,2	1,2	0,166
761	20	10	1,2	1,2	0,165
12512	20	10	2	2	0,281
11424	20	15	2	2	0,335
14939	21,8	8,5	1,5	1,5	0,249
13855	25	15	1,8	1,8	0,354
4545	25	15	2	2	0,389
943	25	17	1	1	0,216
13779	25	20	2	2	0,443
541	27,5	13,5	1,2	1,2	0,256
821	35	8	1,3	1,3	0,284
1819	30	15	1	1	0,232
1112	30	15	2	2	0,443
733	30	20	1,2	1,2	0,308
5323	30	20	2	2	0,497
16676	30	20	3	3	0,713
17111	34	20	3	3	0,778
821	35	8	1,3	1,3	0,284
11297	35	12	1,4	1,4	0,335
15912	36,8	32	2	2	0,700
11514	38,1	25,4	1,63	1,63	0,530
16094	40	10	1,5	1,5	0,381
1092	40	15	1,5	1,5	0,421
3489	40	15	1,8	1,8	0,500
13186	40	15	2	2	0,551
4665	40	20	1	1	0,313
852	40	20	1,2	1,2	0,373
5331	40	20	1,3	1,3	0,404
8106	40	20	1,5	1,5	0,462
16798	40	20	1,6	1,6	0,492
3814	40	20	2	2	0,604
5005	40	20	2,5	2,5	0,743
4239	40	20	3	3	0,875
621	40	25	1	1	0,340
5369	40	25	2	2	0,659
2677	40	30	1	1	0,367
16168	40	30	1,5	1,5	0,543
4397	40	30	2	2	0,712
4944	40	30	2,5	2,5	0,878
6251	40	30	3	3	1,037
11135	40	30	4	4	1,339
4952	40	35	2	2	0,767
14547	50	19	2	2	0,702
18176	50	20	1,2	1,2	0,438
3816	50	20	2	2	0,712
17109	50	20	3	3	1,037
17131	50	20	4	4	1,340
1782	50	25	2	2	0,767
10127	50	30	1,1	1,1	0,462
1085	50	30	1,5	1,5	0,624
3980	50	30	2	2	0,820
4917	50	30	2,5	2,5	1,013
3855	50	30	3	3	1,199
4792	50	30	4	4	1,555
1318	50	40	1	1	0,475
797	50	40	1,1	1,1	0,521

Profil No.	a/mm	b/mm	c/mm	d/mm	kg/m
3870	50	40	2	2	0,928
4547	50	40	2,5	2,5	1,148
3827	50	40	3	3	1,360
11136	50	40	4	4	1,771
12553	56	25	2	2	0,832
16895	60	10	2	2	0,715
17341	60	20	1,2	1,2	0,462
767	60	20	1,5	1,5	0,624
16797	60	20	1,6	1,6	0,664
4240	60	20	2	2	0,821
516	60	30	1,4	1,4	0,659
4489	60	30	2	2	0,929
5259	60	30	3	3	1,361
1079	60	40	1,5	1,5	0,786
3821	60	40	2	2	1,036
4056	60	40	2,5	2,5	1,282
3822	60	40	3	3	1,522
4407	60	40	4	4	1,987
4236	60	50	3	3	1,685
5832	60,5	20,4	1,7	1,7	0,712
14846	65	20	2	2	0,875
13207	65	54	1,6	1,6	1,002
1652	67	26	1	1	0,491
5462	70	20	2	2	0,929
15568	70	20	3	3	1,361
14525	70	25	2,5	2,5	1,215
1121	70	30	1,5	1,5	0,786
14281	70	30	2	2	1,037
6252	70	30	3	3	1,523
10304	70	50	3	3	1,847
5370	70	50	4	4	2,419
15078	72	22	2	2	0,972
1125	72	40	2	2	1,166
17121	72	60	4	4	2,680
746	75	32	1,3	1,3	0,735
14624	80	15	1,5	1,5	0,745
4946	80	20	1,5	1,5	0,786
16796	80	20	1,6	1,6	0,837
4055	80	20	2	2	1,036
17110	80	20	3	3	1,523
5903	80	30	2	2	1,145
13506	80	30	3	3	1,685
7749	80	40	1,4	1,4	0,886
6137	80	40	1,5	1,5	0,948
16743	80	40	1,8	1,8	1,132
10855	80	40	2	2	1,253
4058	80	40	2,5	2,5	1,552
4546	80	40	3	3	1,847
4371	80	40	4	4	2,419
4066	80	40	6	6	3,500
8752	80	50	2	2	1,361
4945	80	50	3	3	2,009
4238	80	50	4	4	2,635
10133	80	50	8	8	4,925
17648	80	60	2	2	1,470
3982	80	60	3	3	2,170
3698	80	60	4	4	2,851
13826	90	50	4	4	2,852
17631	90	60	5	5	3,780
1143	95	30	1,5	1,5	0,988


DİKDÖRTGEN KUTULAR
RECTANGULAR TUBES / RECHTECKROHRE


Profil No.	a/mm	b/mm	c/mm	d/mm	kg/m
1248	95	50	1,5	1,5	1,150
17336	100	15	1,5	1,5	0,907
5505	100	18	2	2	1,231
7198	100	20	1,2	1,2	0,763
16583	100	20	1,6	1,6	1,010
4918	100	20	2	2	1,253
6250	100	20	3	3	1,847
7199	100	40	1,2	1,2	0,891
11138	100	40	2	2	1,469
4811	100	40	2,5	2,5	1,823
12111	100	40	3	3	2,171
11139	100	40	4	4	2,851
4001	100	50	2,5	2,5	1,957
11166	100	50	1,8	1,8	1,423
13153	100	50	2	2	1,577
4237	100	50	3	3	2,333
4158	100	50	4	4	3,067
5435	100	50	5	5	3,780
4881	100	60	3	3	2,495
5294	100	60	4	4	3,283
12545	100	60	8	8	6,221
17894	110	30	3	3	2,171
16862	120	18	2	2	1,450
7222	120	20	2	2	1,469
16768	120	30	2	2	1,577
8542	120	30	3	3	2,333
11265	120	40	2	2	1,685
17102	120	40	3	3	2,495

Profil No.	a/mm	b/mm	c/mm	d/mm	kg/m
16155	120	40	4	4	3,283
16769	120	50	2	2	1,793
11140	120	60	3	3	2,819
4401	120	60	4	4	3,715
12835	120	80	4	4	4,147
15172	125	65	2	2	2,009
3111	130	60	4	4	3,931
6260	140	80	4	4	4,580
14318	150	50	2	2	2,117
5168	150	50	4	4	4,147
15338	150	80	3	3	3,629
4233	150	100	3	3	3,953
3434	155	80	3	3	3,709
15394	180	60	5	5	6,210
17927	180	140	3,8	3,8	6,407
15263	200	40	4	4	5,011
11141	200	50	4	4	5,227
17213	200	60	4	4	5,443
6846	200	70	4	4	5,659
14236	200	100	2,4	2,4	3,826
14567	200	100	4	4	6,307
15074	200	100	5	5	7,830
14231	220	100	3,8	3,8	6,410
14132	220	140	4	4	7,603
13807	240	100	4	4	7,171
17646	250	40	3	3	4,600
14999	260	40	4	4	6,308
12287	260	80	3	3	5,411


YASSI BORULAR
FLAT TUBES / FLACHROHRE

Profil No.	a/mm	b/mm	s/mm	kg/m
15661	20	10	1,2	0,154
6870	25	10	1	0,158
709	26	10	1,5	0,238
583	26	15	1,5	0,262
6027	29,9	12,2	1,3	0,246
5222	30	11,7	1,2	0,227
12253	30	15	1,5	0,294
4332	30	15	2	0,382
14319	31	21	2	0,432
13770	31,2	16,4	1,8	0,367
2185	45	21	2	0,582
5419	48	7	1,5	0,402

Profil No.	a/mm	b/mm	s/mm	kg/m
14483	50	10	1,2	0,351
1200	50	20	1,5	0,482
5692	50	20	2	0,629
7330	60	30	3	1,173
12938	65	20	1,7	0,678
17813	80	20	2	0,953
749	80	26	1,5	0,752
12138	120	40	2,5	1,877




L - PROFİLLERİ

Profil No.	a mm	b mm	c mm	d mm	kg/m
6563	11	6,2	3	3	0,115
6564	14	6	3	3	0,138
10896	15	10	2	2	0,124
17247	18	13	3	3	0,227
14499	20	10	1,5	1,5	0,116
960	20	10	2	2	0,151
2166	20	12	1,2	1,2	0,100
4638	20	15	2	2	0,178
914	25	10	1,2	1,2	0,108
676	25	10	1,5	1,5	0,135
3793	25	10	2	2	0,178
4466	25	15	2	2	0,205
846	25	15	2,5	2,5	0,254
13180	25	15	3	3	0,300
993	25	15	3,2	3,2	0,319
705	25	17	3,2	2,7	0,305
770	25	20	1,3	1,3	0,154
11887	25	20	2	2	0,232
708	29	10,5	1,2	1,2	0,124
1265	30	10	1,2	1,2	0,125
593	30	10	1,5	1,5	0,157
637	30	15	1,2	1,2	0,142
1131	30	15	1,5	1,5	0,175
4098	30	15	2	2	0,232
4045	30	15	3	3	0,340
6881	30	15	17	9	1,004
16384	30	20	1,5	1,5	0,197
3700	30	20	2	2	0,259
4088	30	20	3	3	0,380
9702	30	25	2	2	0,286
11016	32	30	2	2	0,324
4778	35	20	2	2	0,286
4096	35	25	2	2	0,313
4924	40	10	2	2	0,259
1106	40	10	3	3	0,381
4273	40	15	2	2	0,286
17171	40	18	2	2	0,303
18179	40	20	1	1	0,16
4883	40	20	1,2	1,2	0,192
805	40	20	1,5	1,5	0,237
8203	40	20	1,7	1,7	0,267
545	40	20	2	2	0,313
5303	40	20	3	3	0,462
4925	40	20	4	4	0,605
4715	40	25	2	2	0,340
13391	40	25	4	4	0,659
4539	40	30	2	2	0,367
4776	40	30	3	3	0,543
3487	45	30	2,8	2,8	0,546
12516	50	9,3	1,6	1,6	0,249
720	50	17	1,5	1,5	0,265
2042	50	18	4	2,5	0,505
18175	50	20	1,2	1,2	0,224
3914	50	20	1,3	1,3	0,241
2779	50	20	1,5	1,5	0,277
3701	50	20	2	2	0,367
4142	50	25	5	5	0,945
3911	50	30	2	2	0,421
4922	50	30	2,5	2,5	0,524

Profil No.	a mm	b mm	c mm	d mm	kg/m
16306	50	30	3	3	0,624
13177	50	30	4	4	0,821
3702	50	30	5	5	1,012
6745	50	40	2	2	0,475
1049	60	20	1,2	1,2	0,255
4540	60	20	2	2	0,421
5665	60	25	2	2	0,448
4143	60	25	5	5	1,080
4089	60	30	2	2	0,475
11233	60	30	3	3	0,705
11691	60	30	4	4	0,929
3820	60	40	2	2	0,529
5304	60	40	3	3	0,786
3792	60	40	4	4	1,037
4156	60	40	5	5	1,283
3962	60	45	2,3	2,3	0,637
11548	60	25	3	3	0,664
2666	65	30	1,8	1,8	0,454
14517	70	10	1,5	1,5	0,319
3846	70	20	2	2	0,475
4106	70	20	2,5	2,5	0,590
4410	70	30	2	2	0,529
13179	70	40	2	2	0,583
16304	70	50	3	3	0,948
17050	70	50	4	4	1,253
5237	70	60	12	12	3,823
11549	80	15	2	2	0,502
3915	80	20	1,5	1,5	0,399
13181	80	20	2	2	0,53
1991	80	30	1,3	1,3	0,381
3832	80	30	3	3	0,867
6478	80	30	6	6	1,691
4536	80	40	2	2	0,637
9219	80	40	3	3	0,948
4537	80	40	4	4	1,253
16303	80	40	6	6	1,847
9852	80	50	3	3	1,029
6259	80	50	4	4	1,361
11299	80	60	3	3	1,11
17025	80	60	6	6	2,171
9197	85	20	2	2	0,556
11284	85	40	5	5	1,62
11550	90	40	4	4	1,361
17051	90	50	4	4	1,469
10057	90,75	12,5	2,5	2,5	0,681
6479	93	15	6	6	1,658
14718	100	20	2	2	0,637
8611	100	30	2	2	0,691
14719	100	30	3	3	1,029
17026	100	40	4	4	1,469
3704	100	50	3	3	1,191
11227	100	50	5	5	1,958
17027	100	50	8	8	3,067
5702	100	60	8	8	3,283
4690	100	70	2	2	0,907
6476	120	25	6	6	2,260
5732	120	40	2	2	0,853
4538	120	40	3	3	1,272
9853	120	50	3	3	1,353

[illegible]




U - PROFİLLERİ

Profil No.	a mm	b mm	c mm	d mm	kg/m
931	7,8	27	1,4	3,2	0,249
6138	10	15	1,2	1,2	0,122
883	10	15	2	2	0,195
6073	11	12	1,5	1,5	0,130
15702	12	12	1,5	1,5	0,135
4099	12	12	2	2	0,173
4799	12	15	2	2	0,205
1820	12	18	1,3	1,3	0,160
714	12	18	1,5	1,5	0,181
8638	12,5	10	1	1	0,082
11855	13	13	2	2	0,189
15059	14	12	1,5	1,5	0,143
2032	14	28	1,2	1,2	0,218
8027	14,8	15	1,8	1,8	0,200
1524	14,8	30	2,5	2,5	0,471
1086	15	15	1,1	1,1	0,127
3296	15	15	1,5	1,5	0,170
3444	15	15	2	2	0,222
6076	15	20	1,5	1,5	0,211
985	15	20	1,9	1,9	0,262
8892	15	30	2	2	0,384
6077	17	20	1,5	1,5	0,219
7248	17	31	3	3	0,592
949	17,5	16	1,1	1,1	0,140
6677	17,5	23	1,1	1,1	0,182
646	19	20	1,1	1,1	0,168
11793	19	25	1,2	1,2	0,216
6531	19,5	25	1,25	1,25	0,227
6074	20	10	2	2	0,195
5585	20	13	1,1	1,1	0,130
6075	20	15	2	2	0,249
11814	20	20	1	1	0,156
1068	20	20	1,5	1,5	0,230
4548	20	20	2	2	0,302
3445	20	20	2	2	0,302
11677	20	20	3	3	0,438
7224	20	28	1,5	1,5	0,297
5149	20	30	2	2	0,411
5792	20	40	2	2	0,519
3657	20	40	2,5	2,5	0,641
4428	20,4	9	1	1	0,097
1571	21	25	1,2	1,2	0,221
6070	21	50	2,5	2,5	0,783
3379	23	23	1,5	1,5	0,267
3158	25	15	2	2	0,275
752	25	17	1,1	1,1	0,168
4272	25	25	2	2	0,383
13652	25	40	2	2	0,545
9365	26,2	60	1,5	1,5	0,581
7413	29	25	1,5	1,5	0,308
1525	29,6	30	2,5	2,5	0,571
4744	30	20	2	2	0,357
11784	30	25	4	4	0,778
13182	30	30	1,5	1,5	0,354
4242	30	30	2	2	0,464
11226	30	30	3	3	0,681
14398	30	40	3	3	0,843
18420	30,7	5	2,1	2,2	0,216
11328	35	10	2	2	0,275

Profil No.	a mm	b mm	c mm	d mm	kg/m
3004	35	35	3	3	0,802
11015	36	30	2	2	0,497
16911	40	10	2	2	0,303
4406	40	20	2	2	0,410
7254	40	20	2,5	2,5	0,508
4814	40	20	4	4	0,777
13185	40	25	2	2	0,465
2869	40	30	2	2	0,518
17979	40	30	3	3	0,762
6078	40	40	2	2	0,627
16302	40	40	2,5	2,5	0,778
3835	40	40	3	3	0,923
3824	40	40	4	4	1,209
8420	40	50	4	4	1,426
11331	40	60	3	3	1,248
18421	40,7	6,2	2,1	2,4	0,308
9405	43	15	1,5	1,5	0,284
14699	45	30	2	2	0,546
14885	45	50	2,5	2,5	0,945
8732	45,2	64,6	1,3	1,3	0,603
9066	46	50	2	2	0,767
14854	48	19	5	5	1,026
11927	48	30	2,5	4	0,870
7533	48,5	53,53	1,9	2,4	0,840
13189	50	15	4,5	6	1,029
13184	50	25	4	4	0,994
13183	50	30	2	2	0,573
6286	50	40	4	4	1,318
3825	50	50	4	4	1,533
16885	50	50	5	5	1,897
11209	50	100	3	3	1,572
7524	53,8	18,6	1,2	1,2	0,288
15643	55	60	10	6	3,807
5381	60	40	2,5	2,5	0,911
16579	60	40	3	3	1,086
7551	60	40	4	4	1,426
12260	63	5	2,5	2,5	0,459
12398	64	22	1,8	1,8	0,508
14886	66	22	5	5	1,350
14367	70	35	1,5	1,5	0,557
17104	70	35	3	3	1,086
18523	80	20	2	2	0,627
13895	80	40	4	4	1,642
17346	80	40	5	5	2,025
17632	80	45	8	8	3,327
10436	80	50	5	5	2,295
14264	81	55	3	3	1,499
12399	84	22	1,9	1,6	0,573
5522	85,5	16,2	1,2	1,2	0,375
16160	86	20	2	2	0,659
2752	86	40	2	2	0,875
14366	89	35	1,5	1,5	0,632
1572	90	20	2	2	0,680
14048	90	26	26	5	1,782
14887	90	50	5	5	2,430
5703	91	45	5	5	2,309
884	100	8	2	2	0,605
5169	100	50	5	5	2,565
14905	100	100	3	3	2,382


[illegible]


KARE KUTU PROFİLLERİ
SQUARE TUBES / VIERKANTROHRE

Profil No.	a mm	C mm	kg/m
1027	12	1	0.119
951	14	1	0.140
12507	14	1,5	0,203
4541	15	1,5	0,219
13188	15	2	0,281
8438	16	1	0,162
9072	19,5	1,25	0,246
511	20	1	0,205
606	20	1,5	0,300
1388	20	2	0,389
1432	20	2,5	0,473
13045	20	3	0,551
742	25	1,3	0,332
16525	25	1,5	0,381
1838	25	2	0,497
2816	25	3	0,713
3588	30	1	0,313
853	30	1,2	0,372
16109	30	1,5	0,462
16152	30	1,65	0,505
3812	30	2	0,605
3813	30	3	0,875
2817	30	4	1,123
4015	34	2	0,691
17501	34	3	1,005
1644	35	1,1	0,402
5660	35	2	0,713
1317	40	1	0,421

Profil No.	a mm	C mm	kg/m
589	40	1,2	0,502
5330	40	1,3	0,544
5994	40	1,5	0,624
1059	40	2	0,820
4810	40	2,5	1,013
3815	40	3	1,199
3699	40	4	1,555
8334	45	1,2	0,567
13187	45	2	0,929
12720	48,5	1,5	0,762
7402	50	1,5	0,786
806	50	2	1,036
1044	50	3	1,522
4241	50	4	1,987
5255	50	5	2,430
16305	55	2	1,145
1910	59	2	1,231
6136	60	1,5	0,948
4243	60	2	1,253
4231	60	3	1,847
3817	60	4	2,419
12747	60	5	2,97
6561	60	6	3,512
18607	65	4	2,635
17029	67	2	1,404
12573	70	2	1,469
3283	70	4	2,851
12177	80	1,5	1,272


Profil No.	a mm	C mm	kg/m
3981	80	2	1,685
5701	80	2,5	2,093
3834	80	3	2,495
3697	80	4	3,283
5116	80	5	4,050
5977	90	4	3,715
12110	100	2	2,117
4059	100	3	3,143
3696	100	4	4,147
4014	100	5	5,130
11292	100	8	7,949
18027	100	10	9,720
12469	101,6	12,7	12,193
17041	120	2,5	3,173
14938	120	4	5,011
3823	120	5	6,210
15137	127	4	5,314
15410	140	4	5,875
14874	140	5	7,290
18005	150	4	6,307


H - PROFİLLERİ
H - PROFILES / H - PROFILE

Profil No.	a mm	b mm	t1 mm	t2 mm	kg/m
12028	10	10	1	1	0,076
1981	14,9	52	1,6	1,2	0,392
17650	45	50	2	2	0,764
1343	50	23	2,4	2,2	0,572
681	55,6	20,8	1,4	1,8	0,397
648	58,5	24,2	2	2	0,556
12985	60	60	5	5	2,295

Profil No.	a mm	b mm	c mm	d mm	kg/m
673	67	23	2,5	2,2	0,694
685	67,1	21	1,4	1,8	0,443
686	67,3	24	2	2,2	0,625
16673	70	70	5	4	2,350
674	77,2	23,5	3	2,2	0,868
16674	90	70	5	4	2,620
16675	100	100	10	10	7,560

Profil No.	a mm	b mm	t1 mm	t2 mm	kg/m
17507	120	80	7	9	5,816
17772	160	74	7	10	6,642



EŞKENAR KÖŞEBENT PROFİLLER

EQUAL ANGLES

GLEICHSEITIGE WINKEL PROFILE

Profil No.	a mm	b mm	kg/m
6069	15	1,5	0,116
4367	15	2	0,151
4830	15	3	0,219
13056	16,5	1,5	0,127
552	20	1,2	0,124
636	20	1,5	0,157
617	20	2	0,205
4087	20	3	0,300
8090	20	8	0,691
543	25	1,2	0,158
518	25	1,5	0,196
3378	25	2	0,259
706	25	2,7	0,346
11285	25	3	0,381
997	25	3,2	0,405
11237	25,4	1,32	0,176
10979	29	0,9	0,139
544	30	1,2	0,189
634	30	1,5	0,238
604	30	2	0,313
609	30	3	0,462
14802	30	4	0,605
3977	30	5	0,742
2313	30	5	0,742
11338	35	2	0,367

Profil No.	a mm	b mm	kg/m
13178	35	3	0,543
17105	35	4	0,713
17675	38	3	0,592
9960	38	3,2	0,629
635	40	1,5	0,319
719	40	2	0,421
2204	40	2,5	0,524
513	40	3	0,624
608	40	4	0,821
3818	40	5	1,012
18023	40	6	1,200
13379	45	2	0,475
3961	45	2,3	0,545
11111	45	3	0,705
15355	45	4	0,929
773	50	2	0,529
3703	50	3	0,785
3819	50	4	1,037
577	50	5	1,282
17162	50	6	1,523
17323	60	1,5	0,481
5696	60	2	0,637
13789	60	2,5	0,794
5322	60	3	0,948
4155	60	4	1,253

[illegible]


YUVARLAK ÇUBUKLAR

ROUND BARS / RUNDSTANGEN

Profil No.	a/mm	kg/m
1066	10	0.212
2631	11,7	0.290
804	12	0.311
17112	13	0.360
6253	14	0.416
5143	15	0.478
1019	16	0.543
3722	17	0.612
4511	18	0.685
17418	19	0.767
549	20	0.847
14998	21	0,935
672	22	1.026
538	25	1.323
2521	25,5	1.380
3720	26	1.433
4542	28	1.663
539	30	1.908
4612	32	2.171
523	35	2.597
4543	36	2 749

Profil No.	a/mm	kg/m
4639	38	3.062
16697	39	3.227
525	40	3.391
4507	41	3.564
3972	42	3.740
2138	44	4.107
524	45	4.293
1097	50	5.300
4509	51	5.516
718	52	5.735
832	55	6.415
4865	56	6.650
7029	57	6.891
614	60	7.633
4508	61	7.889
4654	62	8.151
4544	63	8.416
671	65	8.959
1103	70	10.390
4510	71	10.689
12956	72	10.995


[illegible]


LAMA PROFİLLERİ
FLAT BARS / FLACHSTANGEN

Profil No.	a/mm	b/mm	kg/m
653	12	4	0,130
11810	12	8	0,260
7986	14	9	0,340
2291	15	2,5	0,101
2055	15	5	0,203
2002	15	10	0,405
4777	15	8	0,324
1250	15,1	3	0,122
6463	16	2	0,087
2580	16	7	0,302
2108	16,1	11	0,478
14805	18	10	0,486
3847	20	2	0,108
506	20	3	0,162
6461	20	3	0,162
647	20	4	0,216
503	20	5	0,270
1072	20	6	0,324
519	20	8	0,432
555	20	10	0,540
9653	20	12	0,648
4989	20,1	3,1	0,169
2086	21	14	0,794
994	21,3	5,3	0,305
704	21,5	5,5	0,319
6462	22	2	0,119
8668	25	2	0,135
818	25	3	0,202
638	25	4	0,270
4054	25	5	0,338
723	25	6	0,405
4889	25	10	0,675
1234	25	15	1,012
1165	25	20	1,350
3717	26	7	0,491
3648	26,3	6	0,426
16458	27,5	6	0,446
10420	29	2	0,157
3658	30	2	0,162
505	30	3	0,243
1075	30	4	0,324
710	30	5	0,405
18599	30	5	0,405
4812	30	6	0,486
4505	30	7	0,567
4405	30	8	0,648
1202	30	10	0,810
12440	30	12	0,972
5144	30	15	1,215
1469	30	16	1,296
1162	30	20	1,620
1164	30	25	2,025
2610	35	5	0,472
4793	35	6	0,567
17161	35	15	1,418
2573	35	17	1,606
1253	36	2,9	0,282
849	37	1,5	0,150
7522	37,8	5,1	0,521
16112	38	18	1,847


Profil No.	a/mm	b/mm	kg/m
896	40	2	0,216
508	40	3	0,324
848	40	4	0,432
507	40	5	0,540
4232	40	6	0,648
4182	40	8	0,864
860	40	10	1,080
1163	40	15	1,620
13141	40	18	1,944
4065	40	20	2,160
18603	40	20	2,160
3975	40	25	2,700
16053	42	12	1,361
12467	45	12	1,458
10419	49	2	0,265
3660	50	2	0,270
575	50	3	0,405
5101	50	4	0,540
509	50	5	0,675
6792	50	6	0,810
2818	50	8	1,080
1069	50	10	1,350
12115	50	12	1,620
4061	50	15	2,025
4081	50	20	2,700
4082	50	25	3,375
4083	50	30	4,050
10802	50	32	4,320
4084	50	35	4,725
3976	50	40	5,400
16504	52	47,5	6,670
16679	55	12	1,782
18361	55	38	5,643
14716	60	2	0,324
1081	60	3	0,486
3973	60	4	0,648
4085	60	5	0,810
6728	60	6	0,972
3863	60	8	1,296
1065	60	10	1,620
18601	60	10	1,620
5418	60	12	1,944
4086	60	15	2,430
18604	60	15	2,430
4613	60	20	3,240
3850	60	25	4,050
4786	60	30	4,860
12155	60	35	5,670
11232	60	40	6,480
16505	62	47,5	7,952
4968	65	30	5,265
12082	70	2	0,378
716	70	3	0,567
4369	70	10	1,890
11133	70	15	2,835
4614	70	20	3,780
3831	70	35	6,615
3864	70	40	7,560
11546	70	50	9,450
14717	80	2	0,532

Profil No.	a/mm	b/mm	kg/m
6959	80	4	0,864
4062	80	5	1,080
4967	80	6	1,296
591	80	8	1,728
1051	80	10	2,160
17389	80	12	2,592
4737	80	15	3,240
3979	80	20	4,320
11228	80	30	6,480
11229	80	40	8,640
4609	80	50	10,800
4610	80	60	12,960
7874	90	2	0,486
14232	90	6	1,458
13229	90	10	2,430
3943	90	15	3,645
4611	90	30	7,290
8526	92	3,5	0,870
14233	92	12	2,981
717	100	2	0,540
1245	100	3	0,810
7625	100	4	1,080
612	100	5	1,350
5716	100	6	1,620
3692	100	8	2,160
1054	100	10	2,700
18600	100	10	2,700
12645	100	12	3,240
748	100	15	4,050
3693	100	20	5,400
18602	100	20	5,400
11230	100	30	8,100
11231	100	40	10,800
1502	110	3	0,891
4409	110	8	2,376
16366	110	15	4,455
3298	110	20	5,940
17831	116,5	10	3,146
2526	120	10	3,240
2684	120	10	3,240
4738	120	15	4,860
4370	120	20	6,480
3232	127	3	1,029
5715	150	6	2,430
2522	150	10	4,050
17393	150	20	8,100
2523	150	15	6,075
11547	150	25	10,125
4787	150	30	12,150
4739	160	10	4,320
16365	174	12	5,638
4740	180	10	4,860
16933	180	12	5,832
16934	180	14	6,804
14071	180	15	7,290
18341	200	5	2,700
4741	200	10	5,400
16581	200	12	6,480
4368	200	15	8,100
3529	200	25	13,500




OVAL LAMA
FLAT OVAL / FLACH OVALE

Profil No.	a/mm	b/mm	kg/m
10425	18	4,2	0.194
17365	20	3	0,157
1313	20	5	0,257
9988	20	6	0,302
4176	20	10	0,483
5269	20	10	0,483
9637	24	14	0,794
6234	25	3	0,197
12586	25	3	0,197
1393	30	3	0,238
15699	35	2,5	0,232
810	38,5	6	0,603
14711	40	5	0,527
10488	40	6	0,626
504	40	6	0,628
15698	45	2,5	0,3
4002	48	5	0,633
17366	50	3	0,4
10489	55	6	0,869
1137	50,2	5,5	0,73
11474	60	12	1,86
17367	62,5	3	0,502
10490	70	6	1,112
17368	75	3	0,602
10580	75,0	7	1,389
1399	80	4	0,856
10421	80	6	1,274
16092	91	42	9,3
10581	100	7	1,862
10491	110	6	1.761
10492	125	6	2
5534	120	8	2,556
10582	130	7	2,427
10493	140	6	2,247
10494	160	6	2,571
10422	200	6	3.218
10495	250	6	4.028
14877	11,2	6,8	0.178




ALTİGEN KÖPRÜLÜ
HEXAGON TUBE / SECHSKANT ROHR

Profil No.	a/mm	s/mm	kg/m
7213	14	2,4	0,261



ALTİGEN DAİRE
HEXAGON TUBE-ROUND INSIDE
SECHSKANT ROHR-INNEN RUND

Profil No.	a/mm	Ømm	kg/m
14506	17	12,5	0,346
17004	32	15,5	1,885
13967	55	25	5,748



KARE ÇUBUKLAR
SQUARE BARS
VIERKANTSTANGEN


Profil No.	a/mm	kg/m
5170	10	0.270
4095	12	0.389
4504	14	0.529
1862	15	0.608
4022	18	0.874
1034	20	1.080
1161	25	1.687
4091	30	2.430
6470	32	2.775
3316	35	3.307
4092	40	4.320

Profil No.	a/mm	kg/m
14872	41	4.539
4641	50	6.750
4642	55	8.168
4643	60	9.720
4644	65	11.408
4645	70	13.230
4646	75	15.188
2528	80	17.280



ALTİGEN ÇUBUKLAR
HEXAGON BARS / SECHSKANT

Profil No.	a/mm	kg/m
18256	13	0,394
2729	17	0,675
8456	17	0,672
4564	47,7	5,319



Z - PROFİLLERİ
Z - PROFILES / Z - PROFILE

Profil No.	a/mm	b/mm	c/mm	s/mm	kg/m
7167	8	21	17	2	0,227
9172	11	6	11	2	0,130
18118	15	15	15	2	0,222
850	16,7	12,7	16,7	1,75	0,201
12089	17	32	17	2	0,335
1113	24	18	24	3	0,486
3948	30	30	30	2	0,464
16998	30	30	30	3	0,681
9950	39,6	58,2	39,6	1,6	0,581
5105	40	40	40	3	0,924
7223	40	86	40	3	1,296
4399	45	6	45	1,5	0,375
17830	50	45	50	3	1,126
6797	73	12	27,5	1,5	0,443
6312	80	45	50	4	1,804



FSM ALÜMİNYUM YAPI MALZEMELERİ SAN.TİC.LTD.ŞTİ.

Alaaddinbey Mah. Alaaddinbey Cd. No: 102/1 Nilüfer / BURSA

Tel : 0224 441 80 03 - 413 71 72

Gsm: 0533 742 41 71

Fax: 0224 441 80 06

www.fsmaluminyum.com

satistedestek@fsmaluminyum.com